













## 2010 Commercial Foodservice Price List

Prices Effective 01/01/10

	Model No. Cooking Power*		Standard Features	Suggested Applications	Electrical Req.	Exterior Dimensions	Ship Weight	List Price
LOW VOL. - MED. SPEED	LD10D2 1000 W		- 6-minute dial timer - 1.0 cu. ft. interior - Ceramic shelf - Limited 3-Year Warranty	- Break rooms, c-stores, wait stations	120 V 15 Amp 60 Hz NEMA 5-15	H: 12-3/8" W: 20-7/8" D: 15-1/2"	39 lbs.	\$498
	LD10MP 1000 W		- Programmable touch control - 3 cooking stages - Braille touch pads - Ceramic shelf - X2 quantity pad - Limited 3-Year Warranty	- Break rooms, c-stores, wait stations	120 V 15 Amp 60 Hz NEMA 5-15	H: 12-3/8" W: 20-7/8" D: 15-1/2"	39 lbs	\$671
MEDIUM VOLUME - MEDIUM SPEED	ALD10D 1000 W		- 10-minute lighted dial timer - Stainless steel int./ext. - Limited 3-Year Warranty	- Break rooms, c-stores, wait stations, front-of-house	120 V 15 Amp 60 Hz NEMA 5-15	H: 13-1/2" W: 22" D: 19"	40 lbs	\$539
	ALD10T 1000 W		- 20 program memory - Programmable touch control - Stainless steel int./ext. - Limited 3-Year Warranty	- Break rooms, c-stores, wait stations	120 V 15 Amp 60 Hz NEMA 5-15	H: 13-1/2" W: 22" D: 19"	40 lbs	\$735
MEDIUM VOLUME - HIGH SPEED	RCS10DA 1000 W		- 6-minute dial timer - 1.2 cu. foot interior - Limited 3-Year Warranty	- Ideal for break rooms, c-stores and vending areas	120 V 15 Amp 60 Hz NEMA 5-15	H: 14-1/4" W: 21-3/4" D: 20-1/4"	56 lbs	\$598
	RCS10MPA 1000 W		- 5 power levels - Touch control programming - Air filter w/ reminder - 1.2 cu. foot interior - Time entry option - Limited 3-Year Warranty	- Ideal for wait stations, coffee shops, c-stores and vending areas	120 V 15 Amp 60 Hz NEMA 5-15	H: 14-1/4" W: 21-3/4" D: 20-1/4"	56 lbs	\$863
HIGH VOLUME - HIGH SPEED	RCS10MPSA 1000 W		- Stainless int./ext. - Touch control - X2 quantity pad - 100 program memory - Limited 3-Year Warranty	- Ideal for wait stations, coffee shops, c-stores and vending areas	120 V 15 Amp 60 Hz NEMA 5-15	H: 14-1/4" W: 21-3/4" D: 20-1/4"	61 lbs	\$1,129
	RFS12MPSB 1200 W		- Stainless int./ext. - Touch control - X2 quantity pad - 100 program memory - Removable air filter - Full 3-Year Warranty	- Ideal for wait stations, coffee shops, c-stores and vending areas	120 V 20 Amp 60 Hz NEMA 5-20	H: 14-1/4" W: 21-3/4" D: 20-1/4"	61 lbs	\$2,120
	RFS18MPS 1800 W		- Stainless int./ext. - Touch control - X2 quantity pad - 100 program memory - Auto Voltage Sensor - Full 3-Year Warranty	- Ideal for medium to high-volume kitchens, sandwich stations, snack bars and dessert stations	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 14-1/4" W: 21-3/4" D: 20-1/4"	73 lbs	\$2,330
	HDC12A 1200 W		- Compact, stackable - 11 Power Levels - 100 program memory - X2 multiple quantity pad - Stainless interior/exterior - Full 3-Year Warranty	- Ideal for single portion throughput	120 V 20 Amp 60 Hz NEMA 5-20	H: 13-1/2" W: 16-3/4" D: 22"	73 lbs	\$1,880

Effective Date 1/1/09. (REV 4/1/2010) \*IEC Tested. Amana's commitment to quality may mean a change in specifications without notice. Prices listed are suggested only.  
Form #ACRR0905 © 2008 ACP Inc.



	Model No. Cooking Power*		Standard Features	Suggested Applications	Electrical Req.	Exterior Dimensions	Ship Weight	List Price
<b>HIGH VOLUME – HIGH SPEED</b>	HDC18 1800 W		<ul style="list-style-type: none"> <li>- Compact, stackable</li> <li>- 11 Power Levels</li> <li>- 100 program memory</li> <li>- X2 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Auto. Voltage sensor</li> <li>- Full 3-Year Warranty</li> </ul>	- Ideal for fast, single portion throughput in busy sites	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 13-1/2" W: 16-3/4" D: 22-3/4"	74 lbs	\$2,301
	HDC18SD 1800 W		<ul style="list-style-type: none"> <li>- Compact, stackable</li> <li>- 11 Power Levels</li> <li>- 100 program memory</li> <li>- X2 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Solid door</li> <li>- Auto. Voltage sensor</li> <li>- Limited 3-Year Warranty</li> </ul>	- Ideal for fast, single portion throughput in busy sites	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 13-1/2" W: 16-3/4" D: 22-3/4"	74 lbs	\$2,012
	HDC21 2100 W		<ul style="list-style-type: none"> <li>- Compact, stackable</li> <li>- 11 Power Levels</li> <li>- 100 program memory</li> <li>- X2 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Auto. Voltage sensor</li> <li>- Full 3-Year Warranty</li> </ul>	- Ideal for fast, single portion throughput in busy sites	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 13-1/2" W: 16-3/4" D: 22-3/4"	74 lbs	\$2,400
	RC17S 1700 W		<ul style="list-style-type: none"> <li>- X8 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Auto voltage sensor</li> <li>- 100 program memory</li> <li>- Double stirrer microwave distribution system</li> <li>- 1.0 cu. foot interior</li> <li>- Self Diagnostic</li> <li>- Full 3-Year Warranty</li> </ul>	- Ideal for bulk and single portions, FAST boost-heating, rethermalizing, and steaming	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 18-1/4" W: 19-1/4" D: 26-1/4"	101 lbs	\$2,700
	RC22S 2200 W		<ul style="list-style-type: none"> <li>- X8 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Auto voltage sensor</li> <li>- 100 program memory</li> <li>- Double stirrer microwave distribution system</li> <li>- 1.0 cu. foot interior</li> <li>- Self Diagnostic</li> <li>- Full 3-Year Warranty</li> </ul>	- Ideal for bulk and single portions, FAST boost-heating, rethermalizing, and steaming	208-240 V 20 Amp 60 Hz NEMA 6-20	H: 18-1/4" W: 19-1/4" D: 26-1/4"	101 lbs	\$3,446
<b>STEAMER EXPRESS™</b>	RC30S 3000 W		<ul style="list-style-type: none"> <li>- X8 multiple quantity pad</li> <li>- Stainless interior/exterior</li> <li>- Auto voltage sensor</li> <li>- 100 program memory</li> <li>- Double stirrer microwave distribution system</li> <li>- 1.0 cu. foot interior</li> <li>- Self Diagnostic</li> <li>- Full 3-Year Warranty</li> </ul>	- Ideal for bulk and single portions, FAST boost-heating, rethermalizing, and steaming	208-240 V 30 Amp 60 Hz NEMA-6-30	H: 18-1/4" W: 19-1/4" D: 26-1/4"	123 lbs	\$4,637



## Microwave Oven Accessories

Part Number	Accessory	Description	List Price
SA10	Shelf Accessory	Removable oven shelf increases oven capacity and flexibility.	\$ 98












Effective Date 1/1/09. (REV 4/1/2010 \*IEC Tested. Amana's commitment to quality may mean a change in specifications without notice. Prices listed are suggested only.  
Form #ACRR0905 © 2008 ACP Inc.



# Amana Commercial High-Speed Combination Ovens

	Model No. Cooking Power*	Standard Features	Suggested Applications	Electrical Req.	Exterior Dimensions	Ship Weight	List Price	
<b>CONVECTION EXPRESS™</b>	ACE14 Convection 2700 W Microwave 1400 W		<ul style="list-style-type: none"> <li>- Combination 475° F convection with 1400 Watts of microwave cooking</li> <li>- 4 stage cooking</li> <li>- Stackable</li> <li>- Store up to 100 menu items</li> <li>- Stainless exterior/Teflon-Coated stainless steel int.</li> <li>- 1.2 cu. foot capacity</li> <li>- Limited 3-Year Warranty</li> </ul>	<ul style="list-style-type: none"> <li>- Combination cooking for FAST baking, browning and crisping</li> <li>- Excellent for appetizers, pizzas, sandwiches and desserts</li> </ul>	208/230 V 20 Amp 60 Hz NEMA 6-20	H: 18-1/4" W: 19-1/4" D: 26-1/4"	102 lbs	\$6,950
	AXP20 Convection 2000 W Infrared Radiant 3000 W Microwave 2200 W		<ul style="list-style-type: none"> <li>- 15 x faster than conventional ovens</li> <li>- Certified for ventless installation</li> <li>- Automatic Voltage Sensor</li> <li>- Store up to 360 menu items</li> <li>- Stainless interior/exterior</li> <li>- Limited 3-Year Warranty</li> </ul>	<ul style="list-style-type: none"> <li>- Combination cooking for FAST toasting, browning, baking and crisping</li> <li>- Excellent for toasted sandwiches, meats, baked goods and pizza</li> </ul>	208-240 V 30 Amp 60 Hz NEMA 6-30	H: 20-1/4" W: 25" D: 25-5/8"	175 lbs	\$16,761

## Combination Oven Accessories

Part Number	Accessory	Description	List Price
DR10 Drip Tray		Teflon tray helps reduce grease buildup and makes cleanup easier. (CONVECTION EXPRESS™ MODELS ONLY)	\$182
OV10 Oven Liner		Place on oven floor of Convection Express™. Aids in cleaning. 12 3/4" x 14 1/2" x 1/2" (CONVECTION EXPRESS™ MODELS ONLY)	\$91
PA10 Oven Paddle		Aids in removal of sandwiches and pizza from Convection Express™ and AXP. (CONVECTION EXPRESS™ and AXP MODELS ONLY)	\$111
PS10 Pizza Stone & Rack		Aids in browning and crisping. Perfect for baking pizza, subs and garlic bread. Comes with rack. (CONVECTION EXPRESS™ ONLY)	\$227
RA14 ACE Rack		Optimize the space inside your Convection Express™ oven. (CONVECTION EXPRESS™ MODELS ONLY)	\$89
SB10 Sm. Non-Stick Basket		Aids in browning and crisping of food. Also makes cleaning up easier. 6" x 12" x 3/4" (2 per box) (CONVECTION EXPRESS™ and AXP MODELS ONLY)	\$152
TB10 Non-Stick Basket		Aids in crisping and browning of food. Also makes cleaning up easier. 10" x 12" x 1" (2 per box) (CONVECTION EXPRESS™ and AXP MODELS ONLY)	\$128
LG10 Leg Kit		4" Leg Kit (AXP MODELS ONLY)	\$87
ST10X Pizza Stone		Aids in browning and crisping. Sits right upon the AXP oven rack. 14-3/8" x 14-3/8" (AXP MODELS ONLY)	\$167
CA24 24" H Cart		Cart with stainless steel top with aluminum frame and castors 24" H x 26" W x 26" D	\$1050
CA30 30" H Cart		Cart with stainless steel top with aluminum frame and castors 30" H x 26" W x 26" D	\$1090

### Freight Policy, effective August 1, 2007

1 – 11 pieces	Prepaid and Add
12 – 23 pieces	Free Freight with \$10/unit Handling Fee
24 plus pieces	Free Freight and no Handling Fee

Effective Date 1/1/09. (REV 4/1/2010 \*IEC Tested. Amana's commitment to quality may mean a change in specifications without notice. Prices listed are suggested only.  
Form #ACRR0905 © 2008 ACP Inc.

